

Cemimax DP200

BPIR Declaration

Version: V1

Designated building product: Class 1

Declaration

Cemimax New Zealand Limited has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

Product/system

Name	Cemimax DP200
Line	1-component PU Fast-Drying Primer and Moisture Vapor Retarder
Identifier	

Description

Cemimax DP200 is a pure polyurethane resin with very high quality developed particularly for subfloors that must be quickly brought to a condition ready for covering installation. Special can be used as low moisture vapor retarder for concrete and cement-based subfloors.

Scope of use

- Use on substrates with low damp.
 - On ceramic, terrazzo, stone subfloors, surfaces with well-bonded.
 - Waterproof adhesive and smoothing compound residues.
 - Suitable for timber floor installation.
-

Conditions of use

- The surface should be clean, dry, and strong without coos part loose layer should be completely removed by granulator, and the substrate should be cleaned thoroughly.
- Stir the container well before using. Apply the primer with a Primer Roller, velour or foam roller, without letting the substance pool. If used as a moisture barrier, DP200 Polyurethane Primer must be applied in two layers using a crisscross method. Each layer must form a thin closed film. The direct bonding work should be completed after the primer has dried and within a 72-hour period.
- Apply the primer evenly to fully cover the surface using a fine-pored foam roller cross-stroke.
- At the same time throwing the quartz sand (70-140#) on applied primer surface. Sand consumption by 0.5-1kg/m³. Without sand broadcasting need to use Cemimax DP80 nonabsorbent primer after dried surface.
- The next day can be application of leveling compound.

Contributions to compliance

B2.3.1(b) (ii) Cemimax DP200 has durability of at least 15 years. F2.3.1 Cemimax DP200 is safe when handled correctly as per Application Instructions on TDS.

Contact details

Manufacture location	Overseas
Legal and trading name of manufacturer	Cemimax Australia Pty Ltd
Legal and trading name of importer	Cemimax New Zealand Limited
Importer address for service	23A Canaveral Drive, Rosedale Auckland 0632
Importer website	
Importer NZBN	9429051766979
Importer email	info@cemimax.co.nz

Importer phone number

02102313450

Responsible person

As the responsible person as set out in Regulation 3, I confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's own processes and is therefore to the best of my knowledge, correct.

I can also confirm that Cemimax DP200 is not subject to a warning or ban under [s26 of the Building Act](#).

Signed for and on behalf of **Cemimax New Zealand Limited**:



Jeff Xu
Director
June 2026



CEMIMAX NEW ZEALAND LIMITED
23A Canaveral Drive, Rosedale Auckland 0632 New Zealand
[02102313450](tel:02102313450) | info@cemimax.co.nz